
random_words Documentation

Author

Aug 27, 2022

Contents

1	How to use	3
2	random_words Package	7
2.1	random_words Package	7
2.2	lorem_ipsum Module	7
2.3	random_words Module	8
3	Indices and tables	11
	Python Module Index	13
	Index	15

Contents:

CHAPTER 1

How to use

Random words:

```
>>> from random_words import RandomWords
>>> rw = RandomWords()
>>> rw.random_word()
'ditto'

>>> rw.random_word(min_letter_count=10)
'recombinations'

>>> rw.random_word('y')
yards

>>> rw.random_word('a', min_letter_count=14)
'accomplishments'

>>> rw.random_words(count=10)
['runs', 'experience', 'comments', 'freedom', 'permit', 'honks', 'pins', 'texts',
↳ 'grant', 'fathers']

>>> rw.random_words(count=10, min_letter_count=14)
['superstructure', 'documentations', 'authorizations', 'administrations',
↳ 'responsibilities', 'multiplication', 'representative', 'reinforcements',
↳ 'accountabilities', 'telecommunication']

>>> rw.random_words(letter='r', count=5)
['raincoat', 'reactance', 'room', 'relocation', 'rudders']

>>> rw.random_words(letter='r', count=5, min_letter_count=6)
['recordkeeping', 'return', 'recapitulation', 'rowers', 'rheostat']

>>> rw.random_words(letter=None, count=2)
['tides', 'eights']
```

(continues on next page)

(continued from previous page)

```
>>> rw.random_words(letter=None, count=2, min_letter_count=10)
['centerline', 'forecastles']
```

Random nicks:

```
>>> from random_words import RandomNicknames
>>> rn = RandomNicknames()

>>> rn.random_nick()
'Fredrick'

>>> rn.random_nick('y')
'York'

>>> rn.random_nick(letter='r', gender='m')
'Roosevelt'

>>> rn.random_nick(letter='r', gender='f')
'Rene'

>>> rn.random_nicks()
['Fionn']

>>> rn.random_nicks(count=10)
['Kristy', 'Imani', 'Delbert', 'Brevyn', 'Jasmin', 'Genevieve', 'Clodagh', 'Graham',
↳ 'Sondra', 'Ed']

>>> rn.random_nicks(letter='u', gender='f', count=4)
['Una', 'Uma', 'Ursula', 'Ulrica']

>>> rn.random_nicks(letter='a', gender='m', count=4)
['Anthony', 'Alec', 'Antonio', 'Adam']

>>> rn.random_nicks(gender='m', count=5)
['Elijah', 'Abraham', 'Noel', 'Myles', 'Pedro']

>>> rn.random_nicks(gender='f', count=5)
['Sabrina', 'Debbie', 'Jerri', 'Savannah', 'Wendy']
```

Random e-mails:

```
>>> from random_words import RandomEmails
>>> rand_mails = RandomEmails()

>>> rand_mails.randomMail()
'ernest@mail2java.com'

>>> rand_mails.randomMails()
['annmarie@mail2xox.com']

>>> rand_mails.randomMails(15)
['patrice@keko.com.ar', 'conor@mail2atom.com', 'vihan@mail2carolyn.com',
↳ 'felicia@looksmart.com.au', 'quinlan@accessgcc.com', 'aimee@china.net.vg',
↳ 'kate@mail2christmas.com', 'geoffrey@frommiami.com', 'lillie@comic.com',
↳ 'trinity@naggpal.net', 'bennett@webmail.co.za', 'jesse@chaiyomail.com',
↳ 'chase@iespana.es', 'mya@ijustdontcare.com', 'ramona@uole.com']
```

Lorem ipsum:

```
>>> from random_words import LoremIpsum
>>> li = LoremIpsum()
>>> li.get_sentence()
'Luctus molestie mazim netus temporsuspendisse, tristique nihil vestibulumnulla clita_
↳possim.'
```

```
>>> li.get_sentences(5)
'Esse erosin magnis cursus, in ullamcorper sapien et accusam. Arcu fringilla_
↳metusdonec. Magna tempus elitr lorem esse antesuspendisse, mi fusce luctus_
↳lacusnulla nullam porta. Takimata tation porttitor, amet aliquammauris enimsed_
↳dapibus. Assum lectus accusam fermentumfusce, iaculis turpis senectus id_
↳nunccurabitur.'
```

```
>>> li.get_sentences_list(5)
['Platea egestas delenit curae iaculis ullamcorper.', 'Felissed sagittis volutpat_
↳vitae, lacus nullam massapellentesque urnapraesent.', 'Dapibusnam vitae nulla,
↳consectetuer congruella luptatum urnamorbi.', 'Ante nostra vero nihil eu odio.',
↳'Invidunt interdum condimentum ametduis, leopraesent tempus placerat aaenean ad.']
```


2.1 random_words Package

2.2 lorem_ipsum Module

```
class random_words.lorem_ipsum.LoremIpsum
    Bases: object

    MAX_WORDS = 15
    MIN_WORDS = 2

    get_sentence()
        Return a sentence.

        Returns string with sentence
        Return type str

    get_sentences(sentences=1)
        Return sentences in string.

        Parameters sentences (int) – how many sentences.
        Returns string with sentences
        Return type str

    get_sentences_list(sentences=1)
        Return sentences in list.

        Parameters sentences (int) – how many sentences
        Returns list of strings with sentence
        Return type list
```

static `make_sentence(list_words)`

Return a sentence from list of words.

Parameters `list_words` (*list*) – list of words

Returns sentence

Return type str

2.3 random_words Module

class `random_words.random_words.Random` (*file*)

Bases: dict

static `check_int(a, count)`

Checks count

Parameters `count` (*int*) – count number ;)

Raises ValueError

load_emails (*file*)

Load list from file for random mails

Parameters `file` (*str*) – filename

load_file (*file*)

Parameters `file` (*str*) – filename

load_nicknames (*file*)

Load dict from file for random nicknames.

Parameters `file` (*str*) – filename

load_nouns (*file*)

Load dict from file for random words.

Parameters `file` (*str*) – filename

class `random_words.random_words.RandomEmails`

Bases: `random_words.random_words.Random`

randomMail ()

Return random e-mail.

Return type str

Returns random e-mail

randomMails (*count=1*)

Return random e-mails.

Return type list

Returns list of random e-mails

class `random_words.random_words.RandomNicknames`

Bases: `random_words.random_words.Random`

random_nick (*letter=None, gender=None*)

Return random nick.

Parameters

- **letter** (*str*) – letter
- **gender** (*str*) – 'f' for female, 'm' for male and None for both

Return type str

Returns random nick

random_nicks (*letter=None, gender='u', count=1*)

Return list of random nicks.

Parameters

- **letter** (*str*) – letter
- **gender** (*str*) – 'f' for female, 'm' for male and None for both
- **count** (*int*) – how much nicks

Return type list

Returns list of random nicks

Raises ValueError

class random_words.random_words.**RandomWords**

Bases: [random_words.random_words.Random](#)

random_word (*letter=None, min_letter_count=1*)

Return random word.

Parameters

- **letter** (*str*) – letter
- **min_letter_count** (*int*) – minimum letter count

Return type str

Returns random word

random_words (*letter=None, min_letter_count=1, count=1*)

Returns list of random words.

Parameters

- **letter** (*str*) – letter
- **min_letter_count** (*int*) – minimum letter count
- **count** (*int*) – how much words

Return type list

Returns list of random words

Raises ValueError

CHAPTER 3

Indices and tables

- `genindex`
- `modindex`
- `search`

r

- `random_words`, 7
- `random_words.__init__`, 7
- `random_words.lorem_ipsum`, 7
- `random_words.random_words`, 8

C

`check_int()` (*random_words.random_words.Random*
static method), 8

G

`get_sentence()` (*random_words.lorem_ipsum.LoremIpsum*
method), 7

`get_sentences()` (*random_words.lorem_ipsum.LoremIpsum*
method), 7

`get_sentences_list()` (*random_words.lorem_ipsum.LoremIpsum*
method), 7

L

`load_dmails()` (*random_words.random_words.Random* *method*),
8

`load_file()` (*random_words.random_words.Random*
method), 8

`load_nicknames()` (*random_words.random_words.Random* *method*),
8

`load_nouns()` (*random_words.random_words.Random* *method*),
8

`LoremIpsum` (*class in random_words.lorem_ipsum*), 7

M

`make_sentence()` (*random_words.lorem_ipsum.LoremIpsum* *static*
method), 7

`MAX_WORDS` (*random_words.lorem_ipsum.LoremIpsum*
attribute), 7

`MIN_WORDS` (*random_words.lorem_ipsum.LoremIpsum*
attribute), 7

R

`Random` (*class in random_words.random_words*), 8

`random_nick()` (*random_words.random_words.RandomNicknames*
method), 8

`random_nicks()` (*random_words.random_words.RandomNicknames*
method), 9

`random_word()` (*random_words.random_words.RandomWords*
method), 9

`random_words` (*module*), 7

`random_words()` (*random_words.random_words.RandomWords*
method), 9

`random_words.__init__` (*module*), 7

`random_words.lorem_ipsum` (*module*), 7

`random_words.random_words` (*module*), 8

`RandomEmails` (*class in random_words.random_words*), 8

`randomMail()` (*random_words.random_words.RandomEmails*
method), 8

`randomMails()` (*random_words.random_words.RandomEmails*
method), 8

`RandomNicknames` (*class in random_words.random_words*), 8

`RandomWords` (*class in random_words.random_words*), 9